

ZESTAWIENIE STALI ZBROJENIOWEJ - REMONT BUDYNKU PRZY UL. DASZYŃSKIEGO 64

Nr pręta	STAL	Długość m	Średnica mm	Ilość sztuk	Masa [kg/mb]	Masa sztuki [kg]	Masa razem [kg]	
							Stal A-0	Stal A-III
1	2	3	4	5	6	7	8	9
1.Strop nad piętrem								
S-1								
1	A-III	4,93	12	52	0,888	4,38		227,65
2		6,47	8	8	0,395	2,56		20,45
3	A-0	6,47	6	27	0,222		38,78	-
S-1b								
4	A-III	5,07	12	16	0,888	4,50		72,03
5		2,62	8	8	0,395	1,03		8,28
6	A-0	2,62	6	27	0,222		15,70	-
S-1c								
4	A-III	5,07	12	35	0,888	4,50		157,58
7		4,31	8	8	0,395	1,70		13,62
8	A-0	4,31	6	25	0,222		23,92	-
S-2								
9	A-III	1,83	8	30	0,395	0,72		21,69
10		1,50	8	11	0,395	0,59		6,52
11	A-0	5,02	6	12	0,222		13,37	-
S-3								
12	A-III	4,58	12	22	0,888	4,07		89,47
13		4,53	12	6	0,888	4,02		24,14
14		4,43	8	8	0,395	1,75		14,00
15	A-0	4,43	6	21	0,222		20,65	-
S-4								
16	A-III	5,71	12	33	0,888	5,07		167,33
17		6,85	12	27	0,888	6,08		164,24
18	A-0	5,54	6	8	0,222		9,84	-
19		6,70	6	6	0,222		8,92	-
S-5								
20	A-III	3,03	8	32	0,395	1,20		38,30
21	A-0	5,91	6	18	0,222		23,62	-
S-6								
22	A-III	4,26	12	27	0,888	3,78		102,14
23		6,85	12	27	0,888	6,08		164,24
21	A-0	5,91	6	6	0,222		7,87	-
21b		4,21	6	6	0,222		5,61	-
S-7								
24	A-III	3,03	8	30	0,395	1,20		35,91
21	A-0	5,91	6	16	0,222		20,99	-
S-7b								
25	A-III	3,03	8	37	0,395	1,20		44,28
21	A-0	5,91	6	16	0,222		20,99	-
S-7c								
26	A-III	3,14	8	39	0,395	1,24		48,37
21	A-0	5,91	6	18	0,222		23,62	-

Nr pręta	STAL	Długość m	Średnica mm	Ilość sztuk	Masa [kg/mb]	Masa sztuki [kg]	Masa razem [kg]	
							Stal A-0	Stal A-III
S-8								
27	A-III	3,33	8	36	0,395	1,32		47,35
21	A-0	5,91	6	19	0,222		24,93	-
28	A-III	3,14	8	12	0,395	1,24		14,88
29		3,14	12	9	0,888	2,79		25,09
30	A-0	3,42	6	19	0,222		14,43	-
S-9								
31	A-III	3,21	8	16	0,395	1,27		20,29
10		1,50	8	11	0,395	0,59		6,52
32		3,21	12	18	0,888	2,85		51,31
21	A-0	5,91	6	19	0,222		24,93	-
S-10 a								
33	A-III	1,39	8	35	0,395	0,55		19,22
34	A-0	5,35	6	10	0,222		11,88	-
S-10 b								
33	A-III	1,39	8	43	0,395	0,55		23,61
35	A-0	6,70	6	10	0,222		14,87	-
S-11								
36	A-III	2,17	8	28	0,395	0,86		24,00
37	A-0	4,43	6	12	0,222		11,80	-
Siatki Sa 1 - 11 szt								
Sa 1	A-III	0,80	8	275	0,395	0,32		86,90
				OGÓŁEM				2076
				Stal d=6mm				337 kg
				Stal d=8mm				494 kg
				Stal d=12mm				1245 kg
2.Wieńce i nadproża okienne								
W-1								
38	A-III	6,62	12	4	0,888	5,88		23,51
St 1	A-0	1,32	6	26	0,222		7,62	-
W-2								
39	A-III	15,45	12	4	0,888	13,72		54,88
St 2	A-0	0,94	6	62	0,222		12,94	-
W-3								
40	A-III	5,20	12	4	0,888	4,62		18,47
St 3	A-0	1,08	6	21	0,222		5,03	-
W-4								
40	A-III	5,20	12	8	0,888	4,62		36,94
St 4	A-0	1,38	6	42	0,222		12,87	-
W-5								
41	A-III	5,00	12	4	0,888	4,44		17,76
St 5	A-0	1,38	6	20	0,222		6,13	-
W-6								
42	A-III	5,80	12	4	0,888	5,15		20,60
St 6	A-0	1,12	6	23	0,222		5,72	-
W-7								
43	A-III	22,90	12	4	0,888	20,34		81,34
St 7	A-0	1,34	6	91	0,222		27,07	-
W-8								
44	A-III	6,25	12	4	0,888	5,55		22,20
St 8	A-0	1,02	6	25	0,222		5,66	-

Nr pręta	STAL	Długość m	Średnica mm	Ilość sztuk	Masa [kg/mb]	Masa sztuki [kg]	Masa razem [kg]	
							Stal A-0	Stal A-III
W-9								
44	A-III	6,25	12	12	0,888	5,55		66,60
St 9	A-0	1,42	6	75	0,222		23,64	-
N-1								
45	A-III	1,50	12	68	0,888	1,33		90,58
St 10	A-0	0,82	6	170	0,222		30,95	-
N-2								
46	A-III	2,00	12	8	0,888	1,78		14,21
St 11	A-0	0,82	6	28	0,222		5,10	-
				RAZEM POZ. 2			143	447
				OGÓŁEM			590	
				Stal d=6mm			143 kg	
				Stal d=12mm			447 kg	
3. Podciągi								
P-1a								
47	A-III	1,86	12	5	0,888	1,65		8,26
St 12	A-0	1,24	6	9	0,222		2,48	-
P-1b								
48	A-III	3,28	12	5	0,888	2,91		14,56
St 13	A-0	1,34	6	17	0,222		5,06	-
P-2								
49	A-III	6,11	20	10	2,47	15,09		150,92
50		6,11	12	4	0,888	5,43		21,70
St 14		1,54	8	98	0,395	0,61		59,61
P-3								
51	A-III	1,90	12	5	0,888	1,69		8,44
St 15	A-0	1,62	6	9	0,222		3,24	-
P-4								
51	A-III	1,90	12	10	0,888	1,69		16,87
St 16	A-0	1,14	6	9	0,222		2,28	-
P-5								
52	A-III	1,66	12	10	0,888	1,47		14,74
St 17	A-0	1,18	6	16	0,222		4,19	-
P-6								
53	A-III	2,01	12	5	0,888	1,78		8,92
St 16	A-0	1,14	6	11	0,222		2,78	-
				RAZEM POZ. 2			20	304
				OGÓŁEM			324	
				Stal d=6mm			20 kg	
				Stal d=8mm			60 kg	
				Stal d=12mm			93 kg	
				Stal d=20mm			151 kg	

Nr pręta	STAL	Długość m	Średnica mm	Ilość sztuk	Masa [kg/mb]	Masa sztuki [kg]	Masa razem [kg]	
							Stal A-0	Stal A-III
4 Schody								
4.1 Schody wewnętrzne - płyta biegu								
54	A-III	4,29	12	5	0,888	3,81		19,05
55		4,84	12	6	0,888	4,30		25,79
56		3,19	8	5	0,395	1,26		6,30
57		3,16	8	6	0,395	1,25		7,49
58		0,85	8	6	0,395	0,34		2,01
59	A-0	1,14	6	26	0,222	0,25	6,58	
60		1,14	6	33	0,222	0,25	8,35	
4.2 Schody wewnętrzne - spocznik								
61	A-III	1,20	8	16	0,395	0,47		7,58
62	A-0	2,96	6	5	0,222		3,29	-
4.3 Schody wewnętrzne - płyta na stropie								
Sa2	A-III	1,95	8	9	0,395	0,77		6,93
		1,15	8	15	0,395	0,45		6,81
4.4 Schody wewnętrzne - żebro Z-1								
63	A-III	3,42	12	5	0,888	3,04		15,18
St 17	A-0	1,14	6	26	0,222		6,58	-
4.5 Schody wewnętrzne - żebro Z-2								
63	A-III	3,42	12	8	0,888	3,04		24,30
St 17	A-0	1,14	6	46	0,222		11,64	-
4.6 Schody zewnętrzne								
64	A-III	3,54	12	6	0,888	3,14		18,86
65		4,84	12	6	0,888	4,30		25,79
66		1,96	12	6	0,888	1,74		10,44
67	A-0	1,44	6	34	0,222	0,32	10,87	
				RAZEM POZ. 3			47	177
				OGÓŁEM			224	
				Stal d=6mm		47	kg	
				Stal d=8mm		37	kg	
				Stal d=12mm		139	kg	
WIENIEC POD MURŁATĄ W-2								
W-2								
39	A-III	71,50	12	4	0,888	63,49		253,97
St 2	A-0	0,94	6	286	0,222		59,68	-
				OGÓŁEM STAL				3333
				Stal d=6mm		606	kg	
				Stal d=8mm		651	kg	
				Stal d=12mm		1925	kg	
				Stal d=20mm		151	kg	